SPARK Client Certificate installation manual

For Mozilla Firefox – Linux

ổ Applications Places System		🖖 🗟 🚯 🚮 🦚 Thu May 14, 3:09 PM	raji 🍂
Page Load Error - Mozilla F	refox		- • ×
<u>F</u> ile <u>E</u> dit ⊻iew Hi <u>s</u> tory	<u>B</u> ookmarks <u>T</u> ools <u>H</u> elp		1974 1975
Gack Forward Reload	Stop Home Ittps://www.spark.gov.in/	☆ ▼ Google	٩
	Secure Connection Failed		
	www.spark.gov.in uses an invalid security certificate.		
	The certificate is not trusted because the issuer certifica	te is unknown.	
	(Error code: sec_error_unknown_issuer)		
	 This could be a problem with the server's configuration, or it someone trying to impersonate the server. 	could be	
	 If you have connected to this server successfully in the past, may be temporary, and you can try again later. 	the error	
	Or you can add an exception		
Dana			
[🔄 [raji@isp: /media] 📄 [nedia - File Br 📄 [chain(2) - File 📄 [SSL Pages - Fil 🍞 *Uns	aved Docu 🥹 PaCurrent workspace	: "Desk 1'

Error Page

Steps

- 1. Download Certificates from http://www.spark.gov.in/certchain.zip and extract it to a folder
- 2. Open Mozilla FireFox and select **Edit** \rightarrow **Preferences**

3. Select Advanced → Encryption and click on View Certificate							
🗌 Firefox	Prefere	nces					_ = ×
ដូរុំ Main	Tabs	Content	Applications	ि Privacy	Security	Ö Advanced	
General	Networ	k Update	Encryption]			
Protoc	ols			-			
Certifi Wher	se SSL <u>3</u> . cates n a serve e <u>l</u> ect one	0 r requests automatic	my personal ce ally	♥Use TL: ertificate: e every t <u>i</u> n	S <u>1</u> .0 ne		
Vie	w Certific	ate <u>s</u> Re	evocation Lists	Valida	ation S	ecurit <u>y</u> Devic	es
E He	ql					×	Close

4. Select Authorities and click on Import button

ou have certificates on file that identify the	ese certificate authorities:	
Certificate Name	Security Device	Ę
▼(c) 2005 TÜRKTRUST Bilgi İletişim ve Bili	•	
TÜRKTRUST Elektronik Sertifika Hizm	Builtin Object Token	
▼ABA.ECOM, INC.		•
ARA.ECOM Root CA	Builtin Object Token	
▼AC Camerfirma SA CIF A82743287		
Chambers of Commerce Root	Builtin Object Token	
Global Chambersign Root	Builtin Object Token	
∀AddTrust AB		
AddTrust Class 1 CA Root	Builtin Object Token	
AddTrust External CA Root	Builtin Object Token	
AddTrust Public CA Root	Builtin Object Token	*
	Builtin Alinet There	
(<u>∨</u> iew) (<u>E</u> dit) [<u>Im</u> port)	Export Delete	

5. Select the first certificate from the extracted folder

Select File contain	ing CA certificate(s) to import	×
	Desktop chains chain(2)	
Location: cca2 (valid	ity 13-Jun-2007 to 04-Jul-2015).cer	
Places	Name	 Modified
🙀 Search	📄 cca2 (validity 13-Jun-2007 to 04-Jul-2015).cer	Monday 06 August
🚱 Recently Used	📄 nicca2 (validity 01-Jul-2007 to 03-Jul-2015).cer	Monday 06 August
🚔 raji		
🔯 Desktop		
🔤 File System		
⊖ CD-RW/DVD±RW		
💻 271.5 GB Media		
💷 15.8 GB Media		
💷 21.5 GB Media		
🖶 Documents		
🖶 Music		
🖶 Pictures 🛛 📗		
🖶 Videos 🛛 🔻		
	4	
Add Bemove		Certificate Files 🔽
		Cancel Open



- 7. Repeat steps 3 to 6 to install the second certificate file.
- 8. Certificate Installation completed. Now you can access SPARK using Security Certificate